

Installation

1. For the installation of a mini redundant PSU you need the RPS mounting kit (img. 1) . Before you install the two power cables please disassemble the front-sided HDD cage and the small steel bridge beside the fan area so you have enough space to work properly.



img. 1




img. 1b


Please remove the cover for the two power cables.

Installation

2. Remove the redundant modules from the PSU cage and install the two brackets. The brackets will be screwed from the inside of the PSU chassis (img. 2). Then you slide the PSU modules into the PSU cage like shown in img. 3



img. 2



img. 3

The listed specifications may be altered at any point in time without any pre-notice. Chieftec® is a registered trade mark. All other brands and/or logos are property of the respective owners.

Installation

1. Now assemble the PSU.



The listed specifications may be altered at any point in time without any pre-notice. Chieftec® is a registered trade mark. All other brands and/or logos are property of the respective owners.

Installation

1. If it fits in the right position, fix it like it is shown on the following images. The screws must fit into the previously installed PSU brackets.



The listed specifications may be altered at any point in time without any pre-notice. Chieftec® is a registered trade mark. All other brands and/or logos are property of the respective owners.

Installation

1. Now fix the bracket on the left side of the PSU with screws.



The listed specifications may be altered at any point in time without any pre-notice. Chieftec® is a registered trade mark. All other brands and/or logos are property of the respective owners.

Installation

1. Connect the power cords.



The listed specifications may be altered at any point in time without any pre-notice. Chieftec® is a registered trade mark. All other brands and/or logos are property of the respective owners.

Installation

1. Now assemble the steel bridge again.



The listed specifications may be altered at any point in time without any pre-notice. Chieftec® is a registered trade mark. All other brands and/or logos are property of the respective owners.

Installation

1. Last but not least assemble the HDD cage.



The listed specifications may be altered at any point in time without any pre-notice. Chieftec® is a registered trade mark. All other brands and/or logos are property of the respective owners.